

Appl. No. : 09/991,433
Filed : November 16, 2001

AMENDMENTS TO THE FIGURES

Ex. note

Please substitute the formal drawings attached hereto for the informal drawings that were filed with the application.

POLYCYTEMIA VERA vs B19 Parvovirus Capside







FIG. 1A

Colony Formation Assay



Erythropoietic
burst forming units (BFU-E)

FIG. 1B



3/20







FIG. 1C



4/20

FIG. 2





5/20





FIG. 3




USE PARVOVIRUS CAPSID PARTICLES IN THE INHIBITION...

Kristina Broliden

Appl. No.: 09/991, 433 Atty Docket: KBROL.001CP1

6/20



7/20





FIG. 5



8/20

Neutralization of 8.3.2000 VP2
using MAB 8292 (Chemicon)
Four cultures, two donors





FIG. 6



9/20

VP2 (batch 8.3.2000)
Cleaved by three different endoproteases (LYS, ARG and GLU)

FIG. 7A

VP2 CLEAVAGE-LYS




FIG. 7B

VP2 CLEAVAGE-ARG





FIG. 7C

VP2 CLEAVAGE-GLU





10/20

VP2 PEPTIDE POOLS 1 - 2

FIG. 8A

PEPTIDE POOL 1 Two cultures
with two different donors






FIG. 8B

PEPTIDE POOL 2 Two cultures
with two different donors





VP2 PEPTIDE POOLS 3 - 4

FIG. 8C

PEPTIDE POOL 3 Two cultures
with two different donors






FIG. 8D

PEPTIDE POOL 4 Two cultures
with two different donors





12/20

VP2 PEPTIDEPOOLS 5 - 6

FIG. 8E

PEPTIDE POOL 5 Two cultures
with two different donors






FIG. 8F

PEPTIDE POOL 6 Two cultures
with two different donors





VP2 PEPTIDEPOOLS 7 - 8

FIG. 8G

PEPTIDE POOL 7 Two cultures
with two different donors






FIG. 8H

PEPTIDE POOL 8 Two cultures
with two different donors





Culture with Receptor peptides
2001-03-15 #1




FIG. 9



15/20

c207 - 10-mer in two cultures.
Cells from same donor, date 010827




FIG. 10





FIG. 11





FIG. 12



USE OF PARVOVIRUS CAPSID PARTICLES IN THE INHIBITION...

Kristina Broliden

Appl. No.: 09/991, 433 Atty Docket: KBROL.001CP1

18/20




FIG. 13




FIG. 14





FIG. 15